

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 4140-0127:102 Page 1 of 1

CATEGORY: Panic Hardware

LISTEE: Detex Corp., 302 Detex Drive, New Braunfels, TX 78130-3099
Contact: *Jeane Oldham (830) 629-2900 Ext 317 Fax (830) 620-6711

DESIGN: Model ECL-230D and ECL-230D-PH rim type, surface mounted, panic hardware. Unit employs an integral alarm which will sound when the "strike paddle plate" is pushed. The lock is always ready to be opened from the inside in an emergency. Model ECL-230D is a short arm version of Model ECL-230D-PH. Refer to listee's data sheet for additional detailed product description and operational considerations.

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, model number and UL label.

APPROVAL: Listed as panic hardware for use on non-rated single outwardly swinging doors to provide a locking means and prevent unauthorized use of the door.

*Rev. 06-13-2003



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 13, 2003**

*Listing Expires **June 30, 2004***

Authorized By: **DIANE K. AREND**, Senior Deputy
Program Manager